  
METRO  
STAINLESS

shower book



 impresa



A statement of  
splendid modernity

Single flat-plane, channel-drain  
showering with a modern twist.

Install base onto bathroom floor or  
recess flush with the bathroom floor.

Suitable Concrete or timber floors.

Custom or Standard  
Stainless-steel Shower Trays

PLATINUM GUARANTEE	25 YEARS	LEAKPROOF
-----------------------	-------------	-----------



#### FEATURES

Material: Stainless-steel / Rotational Brush finish

CNC-cut and folded -- accurate to the millimetre

Correct drainage-gradients designed into tray

Reinforced with composite GRP and high-density pads

Glazing channels factory-attached to tray internal area

Easy-Clean Waste-trap included

#### **Full Custom options available**

100+ Standard Sizes

Platinum 25-Year Leakproof Guarantee

NZ Design Registration Nos: 407636, 407774, 409541

## Drain Cover Options



Slotted Stainless-steel Cover



Solid Stainless-steel Cover



Wedge-Wire Grate





## Frameless-Glass Enclosure 10mm

Standard Height: Nominal 1995mm off tray. Optional heights available

Thickness: 10mm Tempered / toughened safety-glass

Compliant to NZS 4223:2016 / AS/NZS22086:1996

Integrated enclosures-- 'Walk-thru' (glass panels); Hinged or Sliding Door


Ultra-clear, frosted / sandblasted, floor-to-ceiling -- options available

Glazing Channels: 'Chrome Finish'

Hinges: Quality chromed brass. Self-Centring

Handle: Standard -- Round 'D' (polished stainless-steel). See other options

Warranty: Hardware -- 5 Years. Glass -- 10 Years



# Handle Options



Round D



Square D



Round H



Square H



Square Pull

## Finishes and Colours

Chrome

Brushed Chrome

Brushed Nickel

Satin Black

Gunmetal

# Hinge Options



Chrome



Brushed  
Chrome



Brushed  
Nickel



Gun Metal



Satin Black

See corresponding Handle and Channelling options

# Custom Showers


## Get a Quote

Call (09) 273 4545 or  
email to [sales@impresa.co.nz](mailto:sales@impresa.co.nz)

## Ordering

To order, visit the website  
Custom page, print the  
appropriate Worksheet PDF  
and provide the required  
info. Email the worksheet  
forms to [sales@impresa.co.nz](mailto:sales@impresa.co.nz)

Impresa is acknowledged by architects and builders throughout NZ as the industry leader of custom-manufactured tileable and stainless-steel shower systems. We welcome discussion with all homeowners, designers, and trades throughout the process of shower design and installation.





## Metro Stainless Specifications

### **SHOWER BASE / TRAY**

Stainless-steel. 'Rotational Brush' Finish  
Fibreglass-reinforced underside. Fully supported, no flexing  
Single-plane slope to integral channel-drain  
Tray slope to rear, left or right hand side of tray  
**Glazing Channelling :** Bright-Chrome Finish / Factory-installed  
**STANDARD SIZES:** 230. **CUSTOM SIZES** / waste-outlet positions

### **ON-FLOOR TRAY**

Threshold height 70mm minimum. Threshold width 50mm.  
Installation onto timber or concrete floor.

### **LEVEL-ENTRY TRAY**

Designed with 15mm step-down  
Installation onto rebated timber or concrete floor

### **WHEELCHAIR-ACCESS TRAY**

True, flush-entry (no step-down)  
Installation onto rebated timber or concrete floor

### **CHANNEL-DRAIN EASY-CLEAN WASTE-TRAP**

Easy-clean outlet dia. 40mm

### **CHANNEL-DRAIN COVER / GRATE OPTIONS**

- (A) Stainless-steel -- solid top surface
- (B) Stainless-steel -- slotted top surface
- (C) Stainless-steel -- Wedge-Wire (optional)

### **FRAMELESS-GLASS ENCLOSURE**

Thickness: 10mm tempered / toughened safety glass  
Standard Height: 2000mm (Optional Heights available)  
NZS4223.3:2016 / AS/NZS 2208:1996 Compliant  
Hinged door, Sliding door or 'Walk-In' panel-only options

**Glazing Channel** -- Bright Chrome

**Hinges** -- Chrome on brass  
Brushed stainless-steel -- optional as quoted

**Handles** -- Standard 'Round D' Polished stainless-steel  
(Optional handles as quoted)

### **LIQUID-APPLIED WALL WATERPROOFING MEMBRANES**

Supplied by tiler or waterproofing sub-contractor.  
See Recommended Waterproofing and Membranes list.


### **INSTALLATION**

Tray to be installed with polymer-modified tile adhesive. See Recommended Adhesives list. Impresa recommends the enclosure is installed by an experienced frameless-glass installer.

### **WARRANTY**



Shower Tray: 25-years  
Frameless-Glass Enclosure: 10-years  
Hardware: 5-years  
See Warranty Statement






# METRO STAINLESS


**Level-Entry** Tray with Step-down.  
Timber Floor Installation

# METRO STAINLESS

**On-Floor** Tray with Threshold.  
Timber Floor Installation





**METRO**  
STAINLESS

## STANDARD SIZES LIST



alcove shower

**TRAY OPTIONS**

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

**GLASS ENCLOSURES**

See Tray and Glass Enclosures pages

**ORDERING STANDARD SIZES**

Provide code number below of required tray size and channel-drain location for On-Floor / Level-Entry trays

Add 'W' for Wheelchair tray option -- Rear Channel tray only

Add 'L' for Left-hand waste-outlet hole position / 'R' for Right-hand waste-outlet hole position / 'C' for centred waste-outlet hole position

TRAY SIZE	REAR CHANNEL CODE NO.	LEFT-HAND CHANNEL CODE NO.	RIGHT-HAND CHANNEL CODE NO.
900 x 900	MSA9090RR	MSA9090L	MSA9090R
950 x 900	MSA9590RR	MSA9590L	MSA9590R
1000 x 900	MSA10090RR	MSA10090L	MSA10090R
1050 x 900	MSA10590RR	MSA10590L	MSA10590R
1100 x 900	MSA11090RR	MSA11090L	MSA11090R
1150 x 900	MSA11590RR	MSA11590L	MSA11590R
1200 x 900	MSA12090RR	MSA12090L	MSA12090R
1250 x 900	MSA12590RR	MSA12590L	MSA12590R
1300 x 900	MSA13090RR	MSA13090L	MSA13090R
1350 x 900	MSA13590RR	MSA13590L	MSA13590R
1400 x 900	MSA14090RR	MSA14090L	MSA14090R
1450 x 900	MSA14590RR	MSA14590L	MSA14590R
1500 x 900	MSA15090RR	MSA15090L	MSA15090R
1550 x 900	MSA15590RR	MSA15590L	MSA15590R
1600 x 900	MSA16090RR	MSA16090L	MSA16090R
1650 x 900	MSA16590RR	MSA16590L	MSA16590R
1700 x 900	MSA17090RR	MSA17090L	MSA17090R
1750 x 900	MSA17590RR	MSA17590L	MSA17590R
1800 x 900	MSA18090RR	MSA18090L	MSA18090R
1850 x 900	MSA18590RR	MSA18590L	MSA18590R
1900 x 900	MSA19090RR	MSA19090L	MSA19090R
1950 x 900	MSA19590RR	MSA19590L	MSA19590R
2000 x 900	MSA20090RR	MSA20090L	MSA20090R

**TRAY OPTIONS**

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

**GLASS ENCLOSURES**

See Tray and Glass Enclosures pages

**ORDERING STANDARD SIZES**

Provide code number below of required tray size and channel-drain location for On-Floor / Level-Entry trays

Add 'W' for Wheelchair tray option -- Rear Channel tray only

Add 'L' for Left-hand waste-outlet hole position / 'R' for Right-hand waste-outlet hole position / 'C' for centred waste-outlet hole position

TRAY SIZE	REAR CHANNEL CODE NO.	LEFT-HAND CHANNEL CODE NO.	RIGHT-HAND CHANNEL CODE NO.
900 x 1000	MSA90100RR	MSA90100L	MSA90100R
950 x 1000	MSA95100RR	MSA95100L	MSA95100R
1000 x 1000	MSA100100RR	MSA100100L	MSA100100R
1050 x 1000	MSA105100RR	MSA105100L	MSA105100R
1100 x 1000	MSA110100RR	MSA110100L	MSA110100R
1150 x 1000	MSA115100RR	MSA115100L	MSA115100R
1200 x 1000	MSA120100RR	MSA120100L	MSA120100R
1250 x 1000	MSA125100RR	MSA125100L	MSA125100R
1300 x 1000	MSA130100RR	MSA130100L	MSA130100R
1350 x 1000	MSA135100RR	MSA135100L	MSA135100R
1400 x 1000	MSA140100RR	MSA140100L	MSA140100R
1450 x 1000	MSA145100RR	MSA145100L	MSA145100R
1500 x 1000	MSA150100RR	MSA150100L	MSA150100R
1550 x 1000	MSA155100RR	MSA155100L	MSA155100R
1600 x 1000	MSA160100RR	MSA160100L	MSA160100R
1650 x 1000	MSA165100RR	MSA165100L	MSA165100R
1700 x 1000	MSA170100RR	MSA170100L	MSA170100R
1750 x 1000	MSA175100RR	MSA175100L	MSA175100R
1800 x 1000	MSA180100RR	MSA180100L	MSA180100R
1850 x 1000	MSA185100RR	MSA185100L	MSA185100R
1900 x 1000	MSA190100RR	MSA190100L	MSA190100R
1950 x 1000	MSA195100RR	MSA195100L	MSA195100R
2000 x 1000	MSA200100RR	MSA200100L	MSA200100R

**GLASS THICKNESS:** 10mm

**GLASS HEIGHT:** 2000mm. Custom Height Optional

**DOOR STANDARD WIDTHS:** 600, 650, 700mm. Custom Width Optional


**DOOR POSITION:** Centred or Off-centre as shown

**CHANNEL DRAIN POSITION:** As shown by dotted lines


**WASTE HOLE POSITION:** End of channel or centre.

Custom position optional.


ALCOVE TRAY




Enclosure O




Enclosure P




ALCOVE TRAY




ALCOVE TRAY




Enclosure Q




Enclosure R




ALCOVE TRAY




ALCOVE TRAY




Enclosure S



Enclosure T



ALCOVE TRAY



'WALK-THRU' SHOWER

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

WALK-THRU OPENING WIDTH: 600-800mm


GLASS PANEL LENGTH / WIDTH: As required

CHANNEL DRAIN POSITION: As shown by dotted lines


WASTE HOLE POSITION: End of channel or centre.

Custom position optional.


ALCOVE TRAY




Enclosure 1PL




Enclosure 1PR




ALCOVE TRAY



ALCOVE TRAY




Enclosure 2PL



Enclosure 2PR



ALCOVE TRAY



## STANDARD SIZES LIST



corner shower

**TRAY OPTIONS**

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

**GLASS ENCLOSURES**

See Tray and Glass Enclosures pages

**ORDERING STANDARD SIZES**

Provide code number below of required tray size / channel-drain position for On-Floor and Level-Entry trays

Add 'W' for Wheelchair tray option -- Rear Channel tray only

Add 'L' for Left-hand waste-outlet hole position / 'R' for Right-hand waste-outlet hole position / 'C' for centred waste-outlet hole position

TRAY SIZE	LEFT-HAND TRAY LEFT-HAND CHANNEL CODE NO.	LEFT-HAND TRAY REAR CHANNEL CODE NO.	RIGHT-HAND TRAY REAR CHANNEL CODE NO.	RIGHT-HAND TRAY RIGHT-HAND CHANNEL CODE NO.
900 x 900	MSC9090LL	MSC9090LRR	MSC9090RRR	MSC9090RR
950 x 950	MSC9595LL	MSC9590LRR	MSC9595RRR	MSC9595RR
1000 x 900	MSC10090LL	MCS10090LRR	MSC10090RRR	MC10090RR
1050 x 950	MSC10595LL	MSC10595LRR	MSC10595RRR	MSC10595RR
1000 x 1000	MSC100100LL	MSC100100LRR	MSC100100RRR	MSC100100RR
1050 x 1050	MSC105105LL	MSC105105LRR	MSC105105RRR	MSC1051050RR
1100 x 900	MSC11090LL	MSC11090LRR	MSC11090RRR	MSC11090RR
1100 x 1000	MSC110100LLR	MSC110100LRR	MSC110100RRR	MSC110100RR
1100 x 1100	MSC110110LL	MSC110110LRR	MSC110110RRR	MSC110110RR
1200 x 900	MSC12090LL	MSC12090LRR	MSC12090RRR	MSC12090RR
1250 x 950	MSC12595LL	MSC12595LRR	MSC12595RRR	MSC12595RR
1200 x 1000	MSC120100LL	MSC120100LRR	MSC120100RRR	MSC120100RR
1200 x 1200	MSC120120LL	MSC120120LRR	MSC120120RRR	MSC120120RR
1400 x 900	MSC14090LL	MSC14090LRR	MSC14090RRR	MSC14090RR
1400 x 1000	MSC140100LL	MSC140100LRR	MSC140100RRR	MSC140100RR
1500 x 900	MSC15090LL	MSC15090LRR	MSC15090RRR	MSC15090RR
1500 x 1000	MSC150100LL	MSC150100LRR	MSC150100RRR	MSC150100RR
1600 x 900	MSC16090LL	MSC16090LRR	MSC16090RRR	MSC16090RR
1600 x 1000	MSC160100LL	MSC160100LRR	MSC160100RRR	MSC160100RR
1800 x 900	MSC18090LL	MSC18090LRR	MSC18090RRR	MSC18090RR
1800 x 1000	MSC180100LL	MSC180100LRR	MSC180100RRR	MSC180100RR
2000 x 900	MSC20090LL	MSC20090LRR	MSC20090RRR	MSC20090RR
2000 x 1000	MSC20090LL	MSC200100LRR	MSC200100RRR	MSC200100RR

**GLASS THICKNESS:** 10mm

**GLASS HEIGHT:** 2000mm. Custom Height Optional

**DOOR WIDTH:** 650, 700mm or as required


**DOOR POSITION:** Centred or Off-centre as shown

**CHANNEL DRAIN POSITION:** As shown by dotted lines


**WASTE HOLE POSITION:** End of channel or centre.

Custom position optional


**CORNER TRAY: Left-Hand**




**Enclosure A**




**Enclosure B**




**CORNER TRAY: Left-Hand**




**CORNER TRAY: Left-Hand**




**Enclosure C**




**CORNER TRAY: Left-Hand**




**Enclosure D**




**CORNER TRAY: Left-Hand**




**Enclosure E**



**Enclosure F**



**CORNER TRAY: Left-Hand**



**GLASS THICKNESS:** 10mm

**GLASS HEIGHT:** 2000mm. Custom height optional

**DOOR WIDTH:** 650, 700mm or as required


**DOOR POSITION:** Centred or Off-centre as shown

**CHANNEL DRAIN POSITION:** As shown by dotted lines



**WASTE HOLE POSITION:** End of channel or centre.

Custom position optional.


CORNER TRAY: Right-Hand




Enclosure G




Enclosure H




CORNER TRAY: Right-Hand




CORNER TRAY: Right-Hand




Enclosure I




Enclosure J




CORNER TRAY: Right-Hand




CORNER TRAY: Right-Hand




Enclosure K



Enclosure L



CORNER TRAY: Right-Hand



**GLASS THICKNESS:** 10mm

**GLASS HEIGHT:** 2000mm. Custom heights optional

**DOOR WIDTH:** 650, 700mm or as required


**DOOR POSITION:** Centred or Off-centre as shown

**CHANNEL DRAIN POSITION:** As shown by dotted lines


**WASTE HOLE POSITION:** End of channel or centre.

Custom position optional.


CORNER TRAY: Left-Hand




Enclosure M



Enclosure N



CORNER TRAY: Right-Hand



**'WALK-THRU' SHOWER**

**GLASS THICKNESS:** 10mm

**GLASS HEIGHT:** 2000mm. Custom Height optional.


**WALK-THRU WIDTH:** 600-800mm

**RETURN PANEL WIDTH:** 200 / 250mm


**CHANNEL DRAIN POSITION:** As shown by dotted lines

**WASTE HOLE POSITION:** End of channel or centre.  
Custom position optional.


CORNER TRAY: Left Hand




Enclosure 3PL




Enclosure 3PR




CORNER TRAY: Right Hand




CORNER TRAY: Right Hand




Enclosure 2PL




Enclosure 2PR



CORNER TRAY: Left Hand




CORNER TRAY: Left Hand




Enclosure PL



Enclosure PR



CORNER TRAY: Right Hand



# Contact Us

## SALES ENQUIRIES

Phone (09) 273 4545

E: [sales@impresa.co.nz](mailto:sales@impresa.co.nz)

W: [impresa.co.nz](http://impresa.co.nz)

## TECHNICAL ENQUIRIES

Phone (021) 246 8196

email: [support@impresa.co.nz](mailto:support@impresa.co.nz)

## SHOWROOM

81D Cryers Rd.

East Tamaki

Auckland 2013

