

# NEXUS

# shower book



---

Affording the best value shower to homeowners throughout NZ, a NEXUS tileable tray also presents easy tiling design-lines for the trade.

The simplicity yet effectiveness of a NEXUS tile shower makes it ideal for both single-dwelling homes and apartment / multi-unit developments.



The shower base is to be installed onto, or rebated into a bathroom floor. Suitable for concrete or timber floors.

# NEXUS

*Impresa proudly supports  
NEXUS with a 15-Year  
Leakproof Guarantee*

---



Corner Shower



Angle Shower



Alcove Shower

# NEXUS

Proudly supported with a 15-Year Leakproof Guarantee

# NEXUS

## Tray Features

*Material: 3mm-thick Aluminium*

*CNC-cut and folded -- accurate to the millimetre*

*Correct drainage-gradients designed into tray*

*Double-side welded ensuring a 100% leakproof tray*

*Tray fully supported for tile application*

*Easy-Clean Waste-trap and stainless-steel grate included*

*Corner 2-wall Tray / Alcove 3-wall Tray / Angle 2-wall Tray*

### **Standard Sizes / Shapes**

*Corner 900 x 900 1000 x 1000 1200 x 900 1200 x 1000*

*Alcove 900 x 900 1000 x 1000 1200 x 900 1200 x 1000*

*Angle 900 x 900 1000 x 1000*



*Floor-recessed Tray*



*On-Floor Tray*

# NEXUS



## Frameless-Glass Enclosure 10mm

Standard Height: 2000mm off tray

Thickness: 10mm Tempered / toughened safety-glass

NZS 4223:2016 / AS/NZS 2208:1996 Compliant

Glazing Channels: Bright Chrome Finish

Optional: Glass Brace Overpanel Clamp Brackets

Hinges: Quality chromed brass. Self-Centring

Handle: Standard -- Round 'D' polished stainless-steel

Warranty: Glass -- 10 Years. Hardware -- 5 Years.



### Door Handle

Polished stainless-steel 'Round D'.

Nominal Length 250mm.

Optional Handles available.

# NEXUS

## NEXUS SPECIFICATIONS

### SHOWER TRAY

Aluminium Marine Grade 5052

Thickness 3mm

Centre drain outlet

High-density foam supported underside

#### Standard Sizes / Shapes

Corner 900 x 900 1000 x 1000 1200 x 900 1200 x 1000

Alcove 900 x 900 1000 x 1000 1200 x 900 1200 x 1000

Angle 900 x 900 1000 x 1000

Glazing Channel supplied

Tiling Membrane optional

15-Year Leakproof Guarantee

### TRAY DESIGN

#### ON-FLOOR

Installation onto timber or concrete floor

#### LEVEL-ENTRY / WHEELCHAIR-ACCESS

Installation into rebated timber or concrete floor

#### EASY-CLEAN TRAP

Position: Centre of tray

Trap Inlet: 90mm diameter

Trap Outlet: 40mm diameter

Flow Rate: 26 litres / min.

### STAINLESS-STEEL GRATE

Square shape -- for ease of tile application

Linear Brush Finish

### FRAMELESS-GLASS ENCLOSURE

Thickness: 10mm toughened glass

Standard Height : 2000mm

NZ Standard Compliant to NZS 4223:2016

Glazing Channel: Bright Chrome finish.

To be cut to size on-site

Optional: Glass Brace Overpanel Clamp Brackets

Hinges: Chrome-on-brass. Self-centring

Handle: Standard -- Stainless-steel Round 'D'

Optional Handles available

### LIQUID-APPLIED WALL MEMBRANES

Supplied by tiler or waterproofing contractor

### INSTALLATION

Tray to be installed with polymer-modified tile adhesive

Frameless-glass enclosure to be installed by experienced frameless-glass installer

### WARRANTY

Shower Tray: 15-years

Frameless-Glass Enclosure: 10-years

Hardware: 5-years

See Warranty Statement on website.

NEXUS

STANDARD SIZES LIST



alcove shower

# NEXUS

## ALCOVE TRAY AND GLASS ENCLOSURES STANDARD SIZES

**GLASS THICKNESS:** 10mm

**WASTE OUTLET POSITION:** Centre




**GLASS HEIGHT:** 2000mm

**DOOR WIDTH:** 600mm / 650mm

**DOOR POSITION:** Centred or Off-centre as shown



NEXUS Alcove Tray

Enclosure U



Enclosure V

NEXUS Alcove Tray



Code No.	Tray Size
NA9090L	900 x 900
NA100100L	1000 x 1000





Code No.	Tray Size
NA9090R	900 x 900
NA100100R	1000 x 1000

NEXUS Alcove Tray

Enclosure O

Enclosure P

NEXUS Alcove Tray



Code No.	Tray Size
NA12090L	1200 x 900
NA120100L	1200 x 1000

Code No.	Tray Size
NA12090R	1200 x 900
NA120100R	1200 x 1000

NEXUS

STANDARD SIZES LIST



corner shower

# NEXUS

## CORNER TRAY AND GLASS ENCLOSURE STANDARD SIZES

**GLASS THICKNESS:** 10mm


**WASTE HOLE POSITION:** Centre

**GLASS HEIGHT:** 2000mm Nominal


**DOOR WIDTHS:** 600mm / 650mm

**DOOR POSITION:** Centred or Off-centre as shown


NEXUS Square Tray




Enclosure M



Enclosure N




NEXUS Square Tray




Code No.	Tray Size
NC9090L	900 x 900
NC100100L	1000 x 1000

Code No.	Tray Size
NC9090R	900 x 900
NC100100R	1000 x 1000


NEXUS Corner Tray




Enclosure A



Enclosure J



NEXUS Corner Tray



Code No.	Tray Size
NC12090L	1200 x 900
NC120100L	1200 x 1000

Code No.	Tray Size
NC12090R	1200 x 900
NC120100R	1200 x 1000

# NEXUS

## STANDARD SIZES LIST



angle shower

# NEXUS

## ANGLE TRAY AND GLASS ENCLOSURES STANDARD SIZES

**GLASS THICKNESS:** 10mm

**WASTE OUTLET POSITION:** Centre



**GLASS HEIGHT:** 2000mm Nominal

**DOOR WIDTH:** 600mm / 650mm


NEXUS Angle Tray




Enclosure Y



Enclosure Z



NEXUS Angle Tray



Code No.	Tray Size
NT9090L	900 x 900
NT100100L	1000 x 1000

Code No.	Tray Size
NT9090R	900 x 900
NT100100R	1000 x 1000

# Contact Us

## SALES ENQUIRIES

Phone (09) 273 4545

E: [sales@impresa.co.nz](mailto:sales@impresa.co.nz)

W: [impresa.co.nz](http://impresa.co.nz)

## TECHNICAL ENQUIRIES

Phone (021) 246 8196

email: [support@impresa.co.nz](mailto:support@impresa.co.nz)

## SHOWROOM

81D Cryers Rd.

East Tamaki

Auckland 2013

