

stile

shower book



impresa



An exposition of classic and bespoke design

Stile presents as a classic yet
unique-design shower base of
uncluttered full tile appeal,
replete with bespoke options.

Install base onto bathroom floor
or recess flush with the
bathroom floor.

Concrete or timber floors.

Impresa...
Custom or Standard Trays

PLATINUM
GUARANTEE

25
YEARS


LEAKPROOF

stile

Premium tile shower collection




Stile. An exposition of classic and bespoke design



Tray Specifications

- Material: One-piece, 3mm-thick epoxy-coated, marine-grade aluminium
- CNC-cut and folded -- accurate to the millimetre
- Correct drainage-gradients designed into tray
- Double-welded inside and outside ensuring a 100% leakproof tray
- Reinforced with composite GRP.
- Supported on high-density moulded pads
- Glazing channels factory-attached
- Ready to tile
- Easy-Clean Waste-trap included
- Custom sizes / options available
- Standard Sizes 100-plus
- Installation On-Floor or Recessed Level-Entry
- Platinum 25-Year Leakproof Guarantee
- NZ Design Registration Nos. 407636, 407774, 409541



Easy-Clean Waste-Traps

Stile Easy-clean Waste-Trap / Tiled Top Non-Corner Position

When a central or off-centre waste-outlet is required, a height-adjustable easy-clean waste-trap is provided. It is finished with a tiled top 100 x 100mm.



Easy-Clean Waste-Trap,
Tileable Top

Stile Easy-clean Waste-Trap and Grate Corner-Position

An easy-clean trap is secured to the shower tray, and the tile is finished around a stainless-steel grate which covers the trap beneath.



Stainless-steel
Grate



Easy-Clean
Waste-Trap

stile

Frameless-Glass Enclosure

Standard Height: 2000mm off tray. Optional heights available

Thickness: 10mm Tempered / toughened safety-glass

Compliant to NZS 4223:2016 / AS/NZ 2208:1996

Integrated enclosures -- Hinged or Sliding Door,

'Walk-thru' (panel(s)-only), Ultra-clear glass,

Frosted / sandblasted glass, Custom heights, Floor-to-ceiling.

Glazing Channels: 'Matte Aluminium' or 'Chrome Finish'

Hinges: Quality chromed brass. Self-Centring.

Handle: Standard -- Round 'D' (polished stainless-steel).

Optional handles available.

Warranty: Glass -- 10 Years. Hardware -- 5 Years.



Handle Options



Round D



Square D



Round H



Square H



Square Pull

Finishes and Colours

Chrome

Brushed Chrome

Brushed Nickel

Satin Black

Gunmetal

Hinge Options



Chrome



Brushed
Chrome



Brushed
Nickel



Gun Metal



Satin Black

See corresponding Handle and **Channelling** options

Custom Showers


Get a Quote

Call (09) 273 4545 or
email to sales@impresa.co.nz

Ordering

To order, visit the website
Custom page, print the
appropriate Worksheet PDF
and provide the required
info. Email the worksheet
forms to sales@impresa.co.nz

Impresa is acknowledged by architects and builders throughout NZ as the industry leader of custom-manufactured tileable and stainless-steel shower systems. We welcome discussion with all homeowners, designers, and trades throughout the process of shower design and installation.





Stile Shower Specifications

SHOWER BASE / TRAY

One-piece, 3mm-thick, marine-grade, epoxy-coated aluminium Fibreglass-reinforced underside. Fully supported, no flexing
Single-plane slope to waste-outlet or customised slope to optional waste position

STANDARD SIZES: Over 100

CUSTOM SIZES / WASTE-OUTLETS positions optional

GLAZING CHANNEL

Standard: Matte Aluminium finish. Optional: Bright Chrome finish
Black powder-coated optional. Factory-installed to tray internal area

Tiling Membrane factory-applied

ON-FLOOR TRAY

Threshold height 50mm minimum. Threshold width 50mm.
Installation onto timber or concrete floor.

LEVEL-ENTRY TRAY

Designed with 15mm step-down
Installation onto rebated timber or concrete floor

WHEELCHAIR-ACCESS TRAY

True, flush-entry (no step-down)
Installation onto rebated timber or concrete floor

EASY-CLEAN WASTE-TRAP

Standard Position: Tray rear / front corner or Centre
Inlet Dia. 90mm. Outlet Dia. 40mm.
Stainless-steel Grate or Tileable Top Insert

FRAMELESS-GLASS ENCLOSURE

Thickness: 10mm tempered / toughened safety glass
Standard Height: 2000mm (Optional Heights available)
NZS4223.3:2016 / AS/NZS 2208:1996 Compliant
Hinged door, Sliding door or 'Walk-In' panel-only options

Glazing Channel -- Matte Aluminium-finish standard supply
Bright Chrome standard as requested
Black powder-coated -- optional as quoted

Hinges -- Chrome on brass standard
Brushed stainless-steel or Black powder-coated -- optional as quoted

Handles -- Standard 'Round D' Polished stainless-steel
(Optional handles available)

LIQUID-APPLIED WALL WATERPROOFING MEMBRANES

Supplied by tiler or waterproofing sub-contractor.
See Recommended Waterproofing and Membranes list.

INSTALLATION

Tray to be installed with polymer-modified tile adhesive. See Recommended Adhesives list. Impresa recommends the enclosure is installed by an experienced frameless-glass installer.

WARRANTY

Shower Tray: 25-years
Frameless-Glass Enclosure: 10-years
Hardware: 5-years
See Warranty Statement



Impresa Tile Showers Ltd.

w. impresa.co.nz


e. sales@impresa.co.nz

p. 09 273 4545




Level-Entry with Step-down.

Timber Floor Installation



On-Floor with Threshold.

Timber Floor Installation





STANDARD SIZES LIST



alcove shower



ALCOVE TRAY STANDARD SIZES

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosures pages

ORDERING STANDARD SIZES

Provide code number below of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	LEFT-REAR WASTE CODE NO.	RIGHT-REAR WASTE CODE NO.	CENTRE WASTE CODE NO.
900 x 900	SA9090L	SA9090R	SA9090C
950 x 900	SA9590L	SA9590R	SA9590C
1000 x 900	SA10090L	SA10090R	SA10090C
1050 x 900	SA10590L	SA10590R	SA10590C
1100 x 900	SA11090L	SA11090R	SA11090C
1150 x 900	SA11590L	SA11590R	SA11590C
1200 x 900	SA12090L	SA12090R	SA12090C
1250 x 900	SA12590L	SA12590R	SA12590C
1300 x 900	SA13090L	SA13090R	SA13090C
1350 x 900	SA13590L	SA13590R	SA13590C
1400 x 900	SA14090L	SA14090R	SA14090C
1450 x 900	SA14590L	SA14590R	SA14590C
1500 x 900	SA15090L	SA15090R	SA15090C
1550 x 900	SA15590L	SA15590R	SA15590C
1600 x 900	SA16090L	SA16090R	SA16090C
1650 x 900	SA16590L	SA16590R	SA16590C
1700 x 900	SA17090L	SA17090R	SA17090C
1750 x 900	SA17590L	SA17590R	SA17590C
1800 x 900	SA18090L	SA18090R	SA18090C
1850 x 900	SA18590L	SA18590R	SA18590C
1900 x 900	SA19090L	SA19090R	SA19090C
1950 x 900	SA19590L	SA19590R	SA19590C
2000 x 900	SA20090L	SA20090R	SA20090C



ALCOVE TRAY STANDARD SIZES

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosure pages

ORDERING STANDARD SIZES

Provide code number below of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	LEFT-REAR WASTE	RIGHT-REAR WASTE	CENTRE WASTE
	CODE NO.	CODE NO.	CODE NO.
900 x 1000	SA90100L	SA90100R	SA90100C
950 x 1000	SA95100L	SA95100R	SA95100C
1000 x 1000	SA100100L	SA100100R	SA100100C
1050 x 1000	SA105100L	SA105100R	SA105100C
1100 x 1000	SA110100L	SA110100R	SA110100C
1150 x 1000	SA115100L	SA115100R	SA115100C
1200 x 1000	SA120100L	SA120100R	SA120100C
1250 x 1000	SA125100L	SA125100R	SA125100C
1300 x 1000	SA130100L	SA130100R	SA130100C
1350 x 1000	SA135100L	SA135100R	SA135100C
1400 x 1000	SA140100L	SA140100R	SA140100C
1450 x 1000	SA145100L	SA145100R	SA145100C
1500 x 1000	SA150100L	SA150100R	SA150100C
1550 x 1000	SA155100L	SA155100R	SA155100C
1600 x 1000	SA160100L	SA160100R	SA160100C
1650 x 1000	SA165100L	SA165100R	SA165100C
1700 x 1000	SA170100L	SA170100R	SA170100C
1750 x 1000	SA175100L	SA175100R	SA175100C
1800 x 1000	SA180100L	SA180100R	SA180100C
1850 x 1000	SA185100L	SA185100R	SA185100C
1900 x 1000	SA190100L	SA190100R	SA190100C
1950 x 1000	SA195100L	SA195100R	SA195100C
2000 x 1000	SA200100L	SA200100R	SA200100C

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom height optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Rear internal corner or Centred.

Custom position optional.


Alcove Tray: Left-Hand




Enclosure O




Enclosure P




Alcove Tray: Right-Hand




Alcove Tray: Left-Hand




Enclosure Q




Enclosure R




Alcove Tray: Right-Hand




Alcove Tray: Left-Hand




Enclosure S



Enclosure T



Alcove Tray: Right-Hand



WALK-THRU SHOWER

GLASS THICKNESS: 10mm.

GLASS HEIGHT: 2000mm. Custom Height optional.

Walk-Thru Opening Width: 600-800mm.

WASTE OUTLET POSITION

Rear internal corner or Centred.

Custom position optional.


Alcove Tray: Left-Hand



Enclosure: 1PL




Enclosure 1PR




Alcove Tray: Right-Hand




Alcove Tray: Left-Hand




Enclosure 2PR



Enclosure 2PL



Alcove Tray: Right-Hand



STANDARD SIZES LIST



corner shower



CORNER TRAY STANDARD SIZES

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosure pages

ORDERING STANDARD SIZES

Provide code number of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	LEFT-HAND TRAY LEFT-REAR WASTE CODE NO.	RIGHT-HAND TRAY RIGHT-REAR WASTE CODE NO.	LEFT-HAND TRAY CENTRE WASTE CODE NO.	RIGHT-HAND TRAY CENTRE WASTE CODE NO.
900 x 900	SC9090LL	SC9090R	SC9090LC	SC9090RC
950 x 950	SC9595LL	SC9590RR	SC9595LC	SC9595RC
1000 x 900	SC10090LL	SC10090RR	SC10090LC	SC10090RC
1050 x 950	SC10595LL	SC10595RR	SC10595LC	SC10595RC
1000 x 1000	SC100100LL	SC100100RR	SC100100LC	SC100100RC
1050 x 1050	SC105105LL	SC105105RR	SC105105LC	SC105105RC
1100 x 900	SC11090LL	SC11090RR	SC11090LC	SC11090RC
1100 x 1000	SC110100LL	SC110100RR	SC110100LC	SC110100RC
1100 x 1100	SC110110LL	SC110110RR	SC110110LC	SC110110RC
1200 x 900	SC12090LL	SC12090RR	SC12090LC	SC12090RC
1250 x 950	SC12595LL	SC12595RR	SC12595LC	SC12095RC
1200 x 1000	SC120100LL	SC120100RR	SC120100LC	SC120100RC
1200 x 1200	SC120120LL	SC120120RR	SC120120LC	SC120120RC
1400 x 900	SC14090LL	SC14090RR	SC14090LC	SC14090RC
1400 x 1000	SC140100LL	SC140100RR	SC140100LC	SC140100RC
1500 x 900	SC15090LL	SC15090RR	SC15090LC	SC15090RC
1500 x 1000	SC150100LL	SC150100RR	SC150100LC	SC150100RC
1600 x 900	SC16090LL	SC16090RR	SC16090LC	SC16090RC
1600 x 1000	SC160100LL	SC160100RR	SC160100LC	SC160100RC
1800 x 900	SC18090LL	SC18090RR	SC18090LC	SC18090RC
1800 x 1000	SC180100LL	SC180100RR	SC180100LC	SC180100RC
2000 x 900	SC20090LL	SC20090RR	SC20090LC	SC20090RC
2000 x 1000	SC20090LL	SC200100RR	SC200100LC	SC200100RC

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Left-Hand




Enclosure A




Enclosure B




Corner Tray: Left-Hand




Corner Tray: Left-Hand




Enclosure C



Enclosure D




Corner Tray: Left-Hand




Corner Tray: Left-Hand




Enclosure E



Enclosure F



Corner Tray: Left-Hand



GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Right-Hand




Enclosure G




Enclosure H




Corner Tray: Right-Hand




Corner Tray: Right-Hand




Enclosure I




Enclosure J




Corner Tray: Right-Hand




Corner Tray: Right-Hand




Enclosure K



Enclosure L



Corner Tray: Right-Hand



GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Left-Hand




Enclosure M




Enclosure N




Corner Tray: Right-Hand




Corner Tray: Left-Hand



Enclosure A



Enclosure J



Corner Tray: Right-Hand



WALK-THRU' SHOWER

Glass Thickness: 10mm.

Glass Height: 2000mm. Custom Height Optional


Walk-Thru Opening Width: 600-800mm

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Left-Hand




Enclosure 3PL




Enclosure 3PR




Corner Tray: Right-Hand



Corner Tray: Left-Hand




Enclosure: 2PL



Enclosure 2PR



Corner Tray: Right-Hand




Corner Tray: Right-Hand




Enclosure PL



Enclosure PR



Corner Tray: Left-Hand



SQUARE TRAY AND GLASS ENCLOSURES

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required


DOOR POSITION: Centred or Off-Centre as shown

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Square Tray: Left-Hand




Enclosure M



Enclosure N




Square Tray: Right-Hand




Square Tray: Left-Hand




Enclosure A




Enclosure J




Square Tray: Right-Hand




Square Tray: Left-Hand




Enclosure D



Enclosure G



Square Tray: Right-Hand





STANDARD SIZES LIST



angle shower



ANGLE TRAY STANDARD SIZES

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosure page

ORDERING STANDARD SIZES

Provide code number of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	REAR WASTE CODE NO.	CENTRE WASTE CODE NO.
900 x 900	ST9090R	ST9090C
950 x 950	ST9595R	ST9595C
1050 x 1050	ST105105R	ST105105C
1000 x 1000	ST100100R	ST100100C
1100 x 1100	ST110110R	ST110110C
1200 x 1200	ST120120R	ST120120C



ANGLE TRAY AND GLASS ENCLOSURES

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650mm or custom


DOOR POSITION: Centred or Off-Centre as shown

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Angle Tray: Left Hand




Enclosure Y



Enclosure Z



Angle Tray: Right Hand



Contact Us

SALES ENQUIRIES

Phone (09) 273 4545

E: sales@impresa.co.nz

W: impresa.co.nz

TECHNICAL ENQUIRIES

Phone (021) 246 8196

email: support@impresa.co.nz

SHOWROOM

81D Cryers Rd.

East Tamaki

Auckland 2013

