

stile stainless

shower book



 impresa

stile stainless

Converging inspiration
and
craftsmanship

PLATINUM
GUARANTEE


25
YEARS

LEAKPROOF



Premium shower collection

stile stainless



On-Floor or Level-Entry
Recessed Tray



Wheelchair-access Flush
Recessed Tray

Features

- Material: 1.5mm-thick stainless-steel
- CNC-cut and folded -- accurate to the millimetre
- Correct drainage-gradients designed into tray
- Double-side welded ensuring a 100% leakproof tray
- Reinforced with composite GRP
- Glazing channels factory-attached
- Easy-Clean Waste-trap included
- Custom sizes / options available
- Standard Sizes 150-plus

Tray Designs

- Corner Tray. 2 or 3 tiled walls
- Alcove Tray. 3 or 4 tiled walls
- Angle Tray. 2 or 3 tiled walls

Custom or Standard sizes / shapes


PLATINUM GUARANTEE	25 YEARS	LEAKPROOF
-----------------------	-------------	-----------

Easy-clean Waste-Trap

An easy-clean trap attaches to the shower tray with an ensured, guaranteed-watertight connection.



Easy-Clean Waste-Trap with Chrome Top



Waste-Trap Components Schematic

stile stainless

Frameless-Glass Enclosure 10mm

Standard Height: Nominal 2000mm off tray. Optional heights available

Thickness: 10mm Tempered / Toughened Safety-Glass

Compliant to NZS 4223:2016

Integrated enclosures– 'Walk-thru' (glass panels); Hinged or Sliding Door

Ultra-clear, frosted / sandblasted, floor-to-ceiling – options available

Glazing Channels: 'Chrome Finish'

Hinges: Quality chromed brass. Self-Centring

Handle: Standard – Round 'D' (polished stainless-steel). See other options

Warranty: Hardware – 5 Years. Glass – 10 Years



Handle Options



Round D



Square D



Round H



Square H



Square Pull

Finishes and Colours

Chrome

Brushed Chrome

Brushed Nickel

Satin Black

Gunmetal

Hinge Options




Chrome



Brushed
Chrome



Brushed
Nickel



Gun Metal



Satin Black

See corresponding Handle and Channelling options

SHOWER TRAY

One-piece 1.5mm thick stainless-steel. 'Rotational Brush' finish
Fibreglass-reinforced tray underside. Fully supported.

Glazing Channelling : Bright-Chrome Finish / Factory-installed

STANDARD SIZES: 150

CUSTOM SIZES and waste-outlet position optional

ON-FLOOR TRAY

Installation onto timber or concrete floor

Threshold Height 50mm. Threshold Width 50mm

LEVEL-ENTRY TRAY (15mm step-down)

Installation onto rebated timber or concrete floor

WHEELCHAIR-ACCESS TRAY (Flush-entry tray / no step-down)

Installation onto rebated timber or concrete floor

25-Year Leakproof Guarantee. See Warranty Statement

EASY-CLEAN WASTE-TRAP

Standard Position: Centre or corner. Custom position optional

'Dome-Chrome' top

Trap outlet: 40mm diameter

Flow Rate: 26 litres / min. approx.

Optional Hi-flow Waste outlet: P or S-trap required

FRAMELESS-GLASS ENCLOSURE

Thickness: 10mm tempered / toughened safety glass

Standard Height: 1995mm (Optional Heights available)

NZS4223.3:2016 / AS/NZS 2208:1996 Compliant

Hinged door, Sliding door or 'Walk-In' panel-only options

Glazing Channel -- Bright Chrome

Hinges -- Chrome on brass

Brushed stainless-steel -- optional as quoted

Handles -- Standard 'Round D' Polished stainless-steel

(Optional handles as quoted)

LIQUID-APPLIED WALL WATERPROOFING MEMBRANES

Supplied by tiler or waterproofing sub-contractor.

See Recommended Waterproofing and Membranes list.

INSTALLATION

Tray to be installed with polymer-modified tile adhesive.

See Recommended Adhesives list. Impresa recommends the

enclosure is installed by an experienced frameless-glass installer.

WARRANTY

Shower Tray: 25-years

Frameless-Glass: 10-years

Hardware: 5-years


See Warranty Statement



stile stainless

Level-Entry with Step-down.


Timber Floor Installation



stile stainless

On-Floor with Threshold.

Timber Floor Installation



A modern walk-in shower with glass doors, stainless steel fixtures, and a grey towel rack. The shower is set against a wall of large, light-colored square tiles. The floor is made of light-colored wood. The shower fixtures include a showerhead, a handheld shower wand, and a control panel. A grey towel is hanging on a towel rack on the right wall. The text "stile stainless" is overlaid on the top right, and "STANDARD SIZES LIST" is below it. The text "alcove shower" is at the bottom right.

stile stainless

STANDARD SIZES LIST

alcove shower

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosures pages

ORDERING STANDARD SIZES

Provide code number below of required tray size / waste-outlet position for On-Floor / Level-Entry trays

Add 'W' for Wheelchair tray option

TRAY SIZE	LEFT-REAR WASTE	RIGHT-REAR WASTE	CENTRE WASTE
	CODE NO.	CODE NO.	CODE NO.
900 x 900	SSA9090L	SSA9090R	SSA9090C
950 x 900	SSA9590L	SSA9590R	SSA9590C
1000 x 900	SSA10090L	SSA10090R	SSA10090C
1100 x 900	SSA11090L	SSA11090R	SSA11090C
1200 x 900	SSA12090L	SSA12090R	SSA12090C
1300 x 900	SSA13090L	SSA13090R	SSA13090C
1400 x 900	SSA14090L	SSA14090R	SSA14090C
1500 x 900	SSA15090L	SSA15090R	SSA15090C
1600 x 900	SSA16090L	SSA16090R	SSA16090C
1700 x 900	SSA17090L	SSA17090R	SSA17090C
1800 x 900	SSA18090L	SSA18090R	SSA18090C
1900 x 900	SSA19090L	SSA19090R	SSA19090C
2000 x 900	SSA20090L	SSA20090R	SSA20090C

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosures pages

ORDERING STANDARD SIZES

Provide code number below of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	LEFT-REAR WASTE CODE NO.	RIGHT-REAR WASTE CODE NO.	CENTRE WASTE CODE NO.
900 x 1000	SSA90100L	SSA90100R	SSA90100C
950 x 1000	SSA95100L	SSA95100R	SSA95100C
1000 x 1000	SSA100100L	SSA100100R	SSA100100C
1100 x 1000	SSA110100L	SSA110100R	SSA110100C
1200 x 1000	SSA120100L	SSA120100R	SSA120100C
1300 x 1000	SSA130100L	SSA130100R	SSA130100C
1400 x 1000	SSA140100L	SSA140100R	SSA140100C
1500 x 1000	SSA150100L	SSA150100R	SSA150100C
1600 x 1000	SSA160100L	SSA160100R	SSA160100C
1700 x 1000	SSA170100L	SSA170100R	SSA170100C
1800 x 1000	SSA180100L	SSA180100R	SSA180100C
1900 x 1000	SSA190100L	SSA190100R	SSA190100C
2000 x 1000	SSA200100L	SSA200100R	SSA200100C

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom height optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Rear internal corner or Centred.

Custom position optional.


Alcove Tray: Left-Hand




Enclosure O




Enclosure P




Alcove Tray: Right-Hand




Alcove Tray: Left-Hand




Enclosure Q




Enclosure R




Alcove Tray: Right-Hand




Alcove Tray: Left-Hand




Enclosure S



Enclosure T



Alcove Tray: Right-Hand



WALK-THRU SHOWER

GLASS THICKNESS: 10mm.

GLASS HEIGHT: 2000mm. Custom Height optional.

GLASS PANEL LENGTH / WIDTH: As required

WALK-THRU OPENING WIDTH: 600-800mm.

WASTE OUTLET POSITION


Rear internal corner or Centred.

Custom position optional.

Alcove Tray: Left-Hand



Enclosure: 1PL




Enclosure 1PR




Alcove Tray: Right-Hand



Alcove Tray: Left-Hand




Enclosure 2PR



Enclosure 2PL



Alcove Tray: Right-Hand





stile stainless

STANDARD SIZES LIST

corner shower

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosures pages

ORDERING STANDARD SIZES

Provide code number of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	LEFT-HAND TRAY LEFT-REAR WASTE CODE NO.	RIGHT-HAND TRAY RIGHT-REAR WASTE CODE NO.	LEFT-HAND TRAY CENTRE WASTE CODE NO.	RIGHT-HAND TRAY CENTRE WASTE CODE NO.
900 x 900	SSC9090LL	SSC9090RR	SSC9090LC	SSC9090RC
950 x 950	SSC9595LL	SSC9595RR	SSC9595LC	SSC9595RC
1000 x 1000	SSC100100LL	SSC100100RR	SSC100100LC	SSC100100RC
1050 x 1050	SSC105105LL	SSC105105RR	SSC105105LC	SSC105105RC
1100 x 1100	SSC110110LL	SSC110110RR	SSC110110LC	SSC110110RC
1200 x 900	SSC12090LL	SSC12090RR	SSC12090LC	SSC12090RC
1200 x 1000	SSC120100LL	SSC120100RR	SSC120100LC	SSC120100RC
1200 x 1200	SSC120120LL	SSC120120RR	SSC120120LC	SSC120120RC
1400 x 900	SSC14095LL	SSC14095RR	SSC14095LC	SSC14095RC
1400 x 1000	SSC140100LL	SSC140100RR	SSC140100LC	SSC140100RC
1500 x 900	SSC15090LL	SSC15090RR	SSC15090LC	SSC15090RC
1500 x 1000	SSC150100LL	SSC150100RR	SSC150100LC	SSC150100RC
1600 x 900	SSC16090LL	SSC16090RR	SSC16090LC	SSC16090RC
1600 x 1000	SSC160100LL	SSC160100RR	SSC160100LC	SSC160100RC
1800 x 900	SSC18090LL	SSC18090RR	SSC18090LC	SSC18090RC
1800 x 1000	SSC180100LL	SSC180100RR	SSC180100LC	SSC180100RC
2000 x 900	SSC20090LL	SSC20090RR	SSC20090LC	SSC20090RC
2000 x 1000	SSC20090LL	SSC200100RR	SSC200100LC	SSC200100RC

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Left-Hand




Enclosure A




Enclosure B




Corner Tray: Left-Hand




Corner Tray: Left-Hand




Enclosure C




Enclosure D




Corner Tray: Left-Hand




Corner Tray: Left-Hand




Enclosure E



Enclosure F



Corner Tray: Left-Hand



GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Right-Hand




Enclosure G




Enclosure H




Corner Tray: Right-Hand




Corner Tray: Right-Hand




Enclosure I




Enclosure J




Corner Tray: Right-Hand




Corner Tray: Right-Hand




Enclosure K



Enclosure L



Corner Tray: Right-Hand



GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required

DOOR POSITION: Centred or Off-Centre as shown


Sliding Door options not shown -- contact Impresa for details

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Corner Tray: Left-Hand




Enclosure M




Enclosure N




Corner Tray: Right-Hand




Corner Tray: Left-Hand




Enclosure A



Enclosure J



Corner Tray: Right-Hand





WALK-THRU' SHOWER

Glass Thickness: 10mm.
 Glass Height: 2000mm. Custom Height Optional
 Walk-Thru Opening Width: 600-800mm


WASTE OUTLET POSITION

Standard: Rear corner or centre.
 Custom position optional

Corner Tray: Left-Hand




Corner Tray: Right-Hand




Corner Tray: Left-Hand



Enclosure: 2PL



Enclosure 2PR



Corner Tray: Right-Hand



Corner Tray: Right-Hand



Enclosure PL



Enclosure PR



Corner Tray: Left-Hand



GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom Height Optional

DOOR WIDTH: 600, 650, 700mm or as required


DOOR POSITION: Centred or Off-Centre as shown

WASTE OUTLET POSITION


Standard: Rear corner or centre.

Custom position optional


Square Tray: Left-Hand




Enclosure M




Enclosure N




Square Tray: Right-Hand




Square Tray: Left-Hand




Enclosure A




Enclosure J




Square Tray: Right-Hand




Square Tray: Left-Hand




Enclosure D



Enclosure G



Square Tray: Right-Hand





stile stainless

STANDARD SIZES LIST

angle shower

TRAY OPTIONS

(A) 'On-Floor' with Threshold

(B) 'Level - Entry' with Step

(C) 'Wheelchair-Access' Flush-Entry

GLASS ENCLOSURES

See Tray and Glass Enclosures page

ORDERING STANDARD SIZES

Provide code number of required tray size / waste-outlet position for On-Floor / Level-Entry trays.

Add 'W' for Wheelchair tray option.

TRAY SIZE	REAR WASTE CODE NO.	CENTRE WASTE CODE NO.
900 x 900	SST9090R	SST9090C
1000 x 1000	SST100100R	SST100100C
1100 x 1100	SST110110R	SST110110C
1200 x 1200	SST120120R	SST120120C

GLASS THICKNESS: 10mm

GLASS HEIGHT: 2000mm. Custom height optional


DOOR WIDTH: 600, 650mm or as required

WASTE OUTLET POSITION


Rear internal corner or Centred.

Custom position optional.


Angle Tray: Left Hand




Enclosure Y



Enclosure Z



Angle Tray: Right Hand



Custom Showers


Get a Quote

Call (09) 273 4545 or
email to sales@impresa.co.nz

Ordering

To order, visit the website
Custom page, print the
appropriate Worksheet PDF
and provide the required
info. Email the worksheet
forms to sales@impresa.co.nz

Impresa is acknowledged by architects and builders throughout NZ as the industry leader of custom-manufactured tileable and stainless-steel shower systems. We welcome discussion with all homeowners, designers, and trades throughout the process of shower design and installation.



Contact Us

SALES ENQUIRIES

Phone (09) 273 4545

E: sales@impresa.co.nz

W: impresa.co.nz

TECHNICAL ENQUIRIES

Phone (021) 246 8196

email: support@impresa.co.nz

SHOWROOM

81D Cryers Rd.

East Tamaki

Auckland 2013

